



SAFETY DATA SHEET E-Z SHEEN

SECTION 1: IDENTIFICATION

Product Name:	E-Z Sheen
Product Code:	V10
Product Use:	Tire Dressing
Manufacturer's Name:	E-ZOIL Products, Inc.
Address:	234 Fillmore Avenue
Address:	Tonawanda, NY 14150 USA
Business Phone:	855-693-9645
Emergency Phone:	800-633-8253 PERS
Date of Preparation:	October 1, 2021
Date of Last Revision:	October 1, 2021
Regulatory Standard:	CFR29 1910.1200 HazCom 2012

SECTION 2: HAZARDS IDENTIFICATION

GHS-US classification
Aspiration Hazard - Category 1

Hazard pictograms (GHS-US):



Signal word (GHS-US): Danger

Hazard statements (GHS-US): H303 – May be harmful if swallowed

Precautionary Statements - General: P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P103 - Read label before use.

Precautionary Statements - Prevention: No precautionary statements available.

Precautionary Statements - Response: P301 - IF SWALLOWED:
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
P331 - Do not induce vomiting.

Precautionary Statements - Storage: P405 - Store locked up.

Precautionary Statements - Disposal: P501 - Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS Number	%
Distillates (petroleum), hydrotreated light	64742-47-8	>50%

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: FIRST AID MEASURES

- First-aid measures after inhalation: Remove source of exposure or move person to fresh air and keep comfortable for breathing. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor. If breathing has stopped, trained personnel should begin rescue breathing or, if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). If you feel unwell/If concerned: Get medical advice/attention.
- First-aid measures after skin contact: Wipe off with a towel. Wash with soap and water. Get medical attention if irritation persists.
- First-aid measures after eye contact: Rinse eyes cautiously with lukewarm, gently flowing water for 15 minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion: Rinse mouth. Give two glasses of water. If you feel unwell or if concerned: Get medical advice/attention. Do NOT induce vomiting unless under the advice/direction of doctor/POISON CENTER. Note: Never give anything by mouth to an unconscious or convulsing victim. Keep person warm and quiet.

SECTION 5: FIRE FIGHTING MEASURES

- Suitable extinguishing media: Dry chemical, foam, carbon dioxide, water spray or fog is recommended. Water spray is recommended to cool or protect exposed materials or structures. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam. Sand or earth may be used for small fires only.
- Unsuitable extinguishing media: None.
- Fire-Fighting Procedures: Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel.
- Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Protection during firefighting: Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedure: Do not touch or walk through spilled material. Isolate hazard area and keep unnecessary people away. Notify authorities if any exposure to the general public or the environment occurs or is likely to occur. Pick up with mop or wet vac. Rinse spill area with water.

Recommended Equipment: Wear safety glasses and gloves.

Personal Precautions: Avoid breathing vapor. Avoid contact with skin, eye or clothing. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

Environmental Precautions: Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: HANDLING AND STORAGE

General: Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas.

Ventilation Requirements: Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source.

Storage Room Requirements: Keep container(s) tightly closed and properly labeled. Store in cool, dry, well-ventilated areas away from heat, direct sunlight and incompatibilities. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Containers that have been opened must be carefully resealed to prevent leakage. Store at temperatures between 40°F and 100°F. Keep from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids. If additional protection is needed for entire face, use in combination with a face shield.

Skin Protection: Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g., frequency and

duration of contact, chemical resistance of glove material, glove thickness, and dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use of an apron and over-boots of chemically impervious materials such as neoprene or nitrile rubber is recommended to avoid skin sensitization. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Launder soiled clothes or properly disposed of contaminated material, which cannot be decontaminated.

Respiratory Protection: If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter.

Appropriate Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Distillates (Petroleum), Hydrotreated Light (64742-47-8)		
ACGIH	ACGIH TWA (ppm)	(L)[N159](L) [N800]
ACGIH	ACGIH TWA (mg/m ³)	[(L)[N159](L) [N800]]; [5 (I) [N159]5 (I) [N800]];
OSHA	OSHA PEL (TWA) (mg/m ³)	2000 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	500 ppm

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Appearance:	No data available
Color:	Purple
Odor:	Grape
Odor threshold:	No data available
pH:	No data available
Melting point:	No data available
Freezing point:	32°F (0°C)
Flash Point:	>200°F
Boiling Point:	212°F (100°C)
Relative evaporation rate:	No data available
Flammability (solid, gas):	No data available
Explosive limits:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Vapor pressure:	1 / 68°F (20°C)
Relative density:	0.86
Relative vapor density at 20 °C:	No data available
Solubility:	Water > 100 %
Partition coefficient: n-octanol/water:	No data available

Log Kow:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Viscosity, kinematic:	No data available
Viscosity, dynamic:	No data available

SECTION 10: STABILITY AND REACTIVITY

Stability:	Stable.
Conditions to Avoid:	None.
Incompatible Materials:	None known.
Hazardous Reactions/Polymerization:	Will not occur.
Hazardous Decomposition Products:	None known.

SECTION 11: TOXICOLOGICAL INFORMATION

Skin Corrosion/Irritation:	No data available
Likely Route of Exposure	Inhalation, ingestion, skin absorption.
Serious Eye Damage/Irritation:	Concentrate is an eye irritant and may cause irritation, redness, or tearing.
Carcinogenicity:	No data available
Germ Cell Mutagenicity:	No data available
Reproductive Toxicity:	No data available
Respiratory/Skin Sensitization:	No data available
Specific Target Organ Toxicity:	No data available
Aspiration Hazard:	May be fatal if swallowed and enters airways
Acute Toxicity:	No data available

SECTION 12: ECOLOGICAL INFORMATION

Toxicity: Based on available data, the classification criteria are not met.

Persistence and degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in soil: No additional information available

Other adverse effects: Effect on the global warming – No known ecological damage caused by this product.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal recommendations: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: TRANSPORT INFORMATION

US DOT: Not regulated.

IMDG: Not regulated.

IATA: Not regulated.

SECTION 15: REGULATORY INFORMATION

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Federal regulations:

Name	CAS Number	%	Regulation List
Distillates (petroleum), hydrotreated light	64742-47-8	>50%	SARA 312, VOC, TSCA, ACGIH, OSHA

SECTION 16: OTHER INFORMATION

Other information: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.