

MATERIAL SAFETY DATA SHEET

DIESEL AID

SECTION I – MANUFACTURER'S NAME AND CONTACT INFORMATION

Manufacturer

E-Zoil Products, Inc.
2355 Bailey Avenue
Buffalo, NY 14215

Emergency 1-800-424-9300 Chemtrec
Information 716-892-4632
Date prepared July 1, 2008

NFPA Code: Health 2 Fire 2 Reactivity 0

SECTION II – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

2 butoxyethanol, ethylene glycol monobutyl ether CAS # 111-76-2

SECTION III – PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling point 340°F	Specific gravity 0.897
Vapor pressure (MM Hg) 0.6/ 68°F	Vapor density (Air -1) 4.1
Solubility in water 90%+	Appearance and odor – light yellow color, mild odor

SECTION IV – FIRE & EXPLOSION HAZARD DATA

Flash point 162°F (72°C) method used TTC

Extinguisher use water fog, dry chemical, or carbon dioxide

Caution: Combustible. Do not enter confined fire space without full bunker gear: helmet with face shield, bunkercoats, gloves and rubber boots. Include a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual fire or explosion hazards – containers exposed to intense heat from fires should be cooled with water to prevent vapor pressure building up which could result in container rupture.

SECTION V – REACTIVITY DATA

Stability - avoid strong oxidizing agents, heat, flame and aluminum surfaces.

Decomposition – carbon dioxide will be formed. Polymerization will not occur.

SECTION VI – HEALTH HAZARD DATA

EYE CONTACT – immediately flush with plenty of water for at least 15 minutes while holding eyelids open. Get immediate medical attention.

SKIN CONTACT – wash with soap and water. Remove contaminated clothing and wash before reuse. If irritation occurs get medical attention.

INGESTION – Do not give liquids if victim is unconscious or very drowsy, otherwise give no more than 2 glasses of water and induce vomiting by giving 30cc (2 Tablespoon) syrup of Ipecac. If ipecac is unavailable give 2 glasses of water and induce vomiting by touching finger to back of throat. Keep victim's head below his hips while vomiting. Get medical attention.

Note to physician – If victim is a child, not more than 1 glass of water and 15 cc (1 Tablespoon) syrup of Ipecac. If symptoms such as loss of gag reflex, convulsions or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube.

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

Eliminate potential sources of ignition. Contain area with use of dikes or absorbents to prevent migration and entry into sewers or streams. Take up small spills with absorbent pads. Large spills may be taken with pump or vacuum.

SECTION VIII – CONTROL MEASURES

Do not enter confined fire space without full bunker gear: helmet with face shield, bunkercoats, gloves and rubber boots. Include a positive pressure NIOSH approved self contained breathing apparatus.

SECTION IX – TRANSPORT INFORMATION

Non-regulated in containers of less than 119 gallons.

Disclaimer of liability: The information in this msds was obtained from sources we believe are reliable, however the information is provided without any warranty expressed or implied regarding its correctness. The conditions or methods of handling, storage, use of, disposal of the product may be beyond our control or knowledge. For this reason we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.