

Parformance. Pour it on.

You have a big investment in your vehicles and equipment - cars, trucks, tractors, boats, dozers, excavators, cranes, generators, rail and more. You need your vehicles and equipment to work when you work and look good, too. That's why we offer a complete line of diesel additives, biodiesel additives, and gas additives formulated to enhance fuel performance and provide critical protection against expensive breakdowns. We also make performance-enhancing cleaning products to keep your vehicles and equipment clean inside and out. We've been making performance products since 1980. Our products provide maximum performance protection and return on investment for vehicle and equipment professionals worldwide. To learn more, visit www.EZOIL.com.



All E-ZOIL diesel fuel additives comply with the federal ultra low sulfur content requirements for use in diesel motor vehicles and nonroad engines. All E-ZOIL diesel fuel additives are safe for use with ultra low sulfur diesel and biodiesel fuels. All E-ZOIL fuel additives are safe for use with oxidation catalysts and diesel particulate filters.



All-Season Performance Additive

- ■Improves Fuel Economy
- ■Totally Disperses Water
- Improves Cold Flow
- ■Improves Lubricity
- Inhibits Corrosion

PART#	/	UNITS/CS	S TREATS
D10-08	/ 8 OZ	24	240
D10-01	/ 1 GL	6	3,840
D10-05	5 GL	1	19,200
D10-55	55 GL	' 1 /	211,200
D10-275	275 GL	1 /	1,056,000

ULSD FORMULA

E-ZOIL performance additives are formulated for today's Ultra Low Sulfur Diesel and Biodiesel Blends. They meet all emission standards and provide added protection for your valuable diesel-powered equipment.



Diesel Aid + Cetane

All-Around Performance Additive

- Increases Cetane
- Improves Fuel Economy
- Totally Disperses Water
- Improves Cold Flow
- Improves Lubricity
- Inhibits Corrosion

	PART#		,	/UNITS	cs/	/ TREATS	,
4	D25-16	16 OZ		12		240	
	D25-01	/ 1 GL	1	6		1.920	
	D25-05	5 GL	Γ	1		9.600	
	D25-55	55 GL		1	$-\int$	105.600	
	D25-275 /	275 GL		1	5	28,000	

ULSD FORMULA



Carbon Crusher

Diesel Fuel System Cleaner

Cleans Entire Fuel System Reduces DPF Regeneration

Improves Fuel Economy

Removes Asphaltenes **Increases Lubricity**

Increases Cetane

Stabilizes Fuel

PART#	SIZE	/ UNITS/CS	/ TREATS
D70-08	8 OZ	12	100 GL
D70-16	16 OZ	24	200 GL
D70-01	1 GL	6	1,600 GL
D70-05	5 GL	1 /	8,000 GL

ULSD FORMULA

E-ZOIL performance additives are formulated for today's Ultra Low Sulfur Diesel and Biodiesel Blends. They meet all emission standards and provide added protection for your valuable diesel-powered equipment.



Bio-Blast

Biocide | Performance **Additive**

Kills Algae, Bacteria and Fungi Protects Fuel Lines and Filters from Plugging

Protects Fuel and Water Phases from Microbial Slime

7	PART#	SIZE	/UNITS/0	CS TREATS
	B70-16	16 OZ	12	1,280
	B70-05	5 GL	1 1	51,200
1	B70-55	55 GL	1	563,200
	B70-275	275 GL	1	2,816,000

ULSD FORMULA



Artic Flo

Cold Weather Performance Additive

- Improves Cold Flow
- Prevents Gelling
- Improves Lubricity
- Protects Fuel System

	PART#	/		UNITS/	cs	TREATS	s
1	D20-16	16 OZ		24		250	
	D20-01	1 GL	7	6		2,000	
	D20-05	5 GL	Γ	1	I	10,000	
	D20-55	55 GL		1		110,000	
D	20-275	275 GL		1	5	550,000	

ULSD FORMULA



D-Gel

Emergency Cold Weather Performance Additive

- Reliquifies Gelled Fuel
- Reliquifies Iced Fuel
- Deices Iced Fuel Filters
- Improves Cold Flow
- Helps Remove Water

PART#	SIZE	UNITS/C:	s TREATS
F10-16	16 OZ	24	50
F10-01	/ 1 GL	/ 6	400
F10-05	5 GL	/ 1	2,000
F10-55	55 GL	1 /	22,000
F10-275	275 GL	1 /	110,000

ULSD FORMULA

E-ZOIL performance additives are formulated for today's Ultra Low Sulfur Diesel and Biodiesel Blends. They meet all emission standards and provide added protection for your valuable diesel-powered equipment.



Storzall

Stabilizer Performance Additive

- Stabilizes Fuel
- Prevents Fuel Degradation
- Protects Fuel System
- Safe for Gas, Diesel and Biodiesel

	PART#	: SIZE	/u	NITS/C	s TREATS
	S80-16	16 OZ		12	200
	S80-01	/ 1 GL		6	1,600
1	S80-05	5 GL	/	1	8,000
	S80-55	55 GL		1 /	88,000
	80-275	275 GL		1 /	440,000

ULSD FORMULA



Diesel Fire

Summer Performance Additive

- Increases Fuel Economy
- Increases Cetane
- Increases Lubricity
- Cleans Fuel Systems
- Reduces Exhaust Emissions
- Separates Water

	PART:	# SIZE	,	UNITS/	cs	TREATS	s
	D50-08	8 OZ	_/	12		32	
	D50-16	16 OZ		24		64	
	D50-01	/ 1 GL		6	-	512	
Æ	D50-05	5 GL		1		2,560	
	D50-55	55 GL		1		28,160	
L	050-275	275 GL		1 /	1	140,800	

ULSD FORMULA

E-ZOIL performance additives are formulated for today's Ultra Low Sulfur Diesel and Biodiesel Blends. They meet all emission standards and provide added protection for your valuable diesel-powered equipment.



Diesel Fire Plus

Winter Performance Additive

- Increases Fuel Economy
 Improves Cold Flow
- Increases Cetane
- Increases LubricityCleans Fuel Systems
- Reduces Exhaust Emissions
- Separates Water

	PART#	: SIZE		UNIT	s/cs	TREAT	S
	D60-08	8 OZ		12		32	
	D60-16	16 OZ		24		64	
7	D60-01	1 GL		6		512	
	D60-05 I	5 GL	/	1		2,560	
	060-55	55 GL	/	1		28,160	
De	60-275 /	275 GL		1	<i>\ '</i>	140,800	

ULSD FORMULA



Bio-Aid

All-Season Biodiesel Performance Additive

- Improves Fuel EconomyTotally Disperses Water
- Improves Cold Flow
- Improves Lubricity
- Inhibits Corrosion

PART#	SIZE	/u	NITS/C	s/ TREATS
B10-16	16 OZ		24	240
B10-01	1 GL		6	1,920
B10-05	5 GL	/	1	9,600
B10-55	55 GL		1 /	105,600
B10-275	275 GL	-	1 /	528,000

BIODIESEL FORMULA

E-ZOIL biodiesel performance additives are formulated to meet all emission standards and protect your valuable biodiesel-powered equipment.



Bio-Power

Cold Weather Biodiesel Performance Additive

- Improves Cold Flow
- Prevents Gelling
- Improves Lubricity
- Improves Fuel Economy

	PART#	SIZE		UNITS/	cs/	TREAT	ร
	B15-16	16 OZ		24		200	
	B15-01	/ 1 GL		6		1,600	
1	B15-05	5 GL	/	1		8,000	
	B15-55	55 GL	/	1		88,000	7
Į	315-275	275 GL		1	4	40,000	/

BIODIESEL FORMULA

E-ZOIL biodiesel performance additives are formulated to meet all emission standards and protect your valuable biodiesel-powered equipment.



Hot Shot

Heating Oil Treatment

- Totally Disperses Water
- Improves Combustion
- Cleans Fuel System
- Inhibits Corrosion
- Stabilizes Fuel
- Dissolves Sludge

	PART#	SIZE	,	UNITS/C	s/	TREATS	s
	H15-16	16 OZ		24		275	
//	H15-01	1 GL	/	6		2,200	
/ /	H15-05	5 GL	Γ	1		11,000	7
Æ	H15-55	55 GL		1	/	121,000	
ŀ	H15-275 /	275 GL		_1 /	(605,000	



Phaze-Out

Gas/Ethanol Performance Additive

- Prevents Gas/Ethanol Separation
- Improves Combustion
- Cleans Fuel System
- Prevents Corrosion
- Stabilizes Fuel
- Safe for use in E-10, E-15 & E-85

PART#	SIZE		UNITS/C	cs/	TREAT	s
G10-08	/ 8 OZ		24		40	
G10-01	- 1 GL		6		640	
G10-05	5 GL		1		3,200	
G10-55	55 GL	/	1	Γ.	35,200	
G10-275 /	275 GL		1	1	76,000	



Air Brake

Air Brake Anti-freeze

- Prevents Air Brake Freeze-Ups
- Absorbs Water Immediately
 Lubricates Valves
- Inhibits Corrosion

	PART#	SIZE	UNITS/CS
	A30-32	32 OZ	12
	A30-01	1 GL	4
1	A30-55	55 GL	1
Ī	A30-275	275 GL	1 /



E-Z Kleen

Vehicle Wash

- Removes All Dirt and Grime
- Removes Diesel Smoke
- No Water Spotting
- Use Pressure Washer or

Hand Brush

- Safe on All Surfaces
- Biodegradable

	PART#	SIZE	/ UNITS	/CS
	K50-01	1 GL	4	
	K50-05	5 GL	/ 1	
1	K50-55	55 GL	1	
đ	K50-275	275 GL	1	_/

BIODEGRADABLE FORMULA



E-Z Gone

Water-Based Degreaser

- Dissolves Grease, Grit & Grime
- Penetrates Quickly
- Fresh Lemon Aroma
- No Harmful Solvents
- Safe on All Metal Surfaces
- Use on Engines, Parts,

Tools & Floors

	PART		SIZE		UNITS/C	cs
	DG20-3	2 /	32 OZ	_/		
	DG20-01	1	1 GL		4	
	DG20-05		5 GL		1	
/	DG20-55		55 GL	Τ	1	
L	DG20-275	2	275 GL		1	

BIODEGRADABLE FORMULA

E-ZOIL performance cleaners are formulated for tough cleaning jobs and are safe for the environmen when used as directed.



E-Z Off

Heavy-Duty Degreaser

- Dissolves Grease and GrimeRemoves Diesel Smoke and Road Tar
- Rinses with Water Fresh Citrus Aroma
- Safe on All Metal Surfaces

PART#	SIZE	,	/UNITS	CS/
DG10-01	/ 1 GL		4	- /
DG10-05	5 GL		1	
DG10-55	55 GL		1	
DG10-275	275 GL	/	1	

BIODEGRADABLE FORMULA



E-Z Brite

Trailer Brightener

- Removes Oxidation and Corrosion
- Restores Original Finish
- For Non-Polished Metal
- Pressure Washer or Hand Brush

PART#	: SIZE	UNITS/CS
T90-01	1 GL	4
T90-05	5 GL	1
T90-55	55 GL	1
T90-275	275 GL	1

BIODEGRADABLE FORMULA

E-ZOIL performance cleaners are formulated for tough cleaning jobs and are safe for the environment when used as directed.

Mirror X

Mirror Finish Brightener

- Removes Oxidation and Corrosion
- Restores Original Finish
- For Polished Metal
- Non-Chalking and Non-Whitening
- Safe for Glass and Painted Surfaces
- Pressure Washer or Hand Brush

	PART:	SIZE		/ UNITS/CS	
	M70-01	 1 GL		4	
	M70-05	5 GL		1	I
Ì	M70-55	55 GL	T	1	
	M70-275	275 GL	Τ	1	

BIODEGRADABLE FORMULA



Glass Glitz

The "Grippy" Glass Cleaner

- Cleans Glass
- Thickens When Shaken
- Grips to Glass for Fast Cleaning
- Provides Streak-Free Shine
- Removes Films, Soils, and Bugs
- Won't Evaporate on Hot Surfaces
- Ammonia-Free

PART#	/ SIZE	/ UNITS/CS
V20-02	2 OZ	24
	/	

BIODEGRADABLE FORMULA

E-ZOIL performance cleaners are formulated for tough cleaning jobs and are safe for the environment when used as directed.



Cab Kleen

All Purpose Plastic and Carpet Cleaner

- Removes Dirt
- Removes Stains
- Fast Cleaning Action
- For Carpet, Upholstery,
- and Dashboard

PART#	: SIZE	UNITS/CS
V30-02	2 OZ	24
V30-32	/ 32 OZ	12
V30-01	1 GL	4
V30-05	5 GL	1
V30-55	55 GL	1

BIODEGRADABLE FORMULA



Hardy Hands Hand Cleaner

- Removes All Dirt and Grime
- Contains Walnut Shell Scrubbers
- Leaves Hands Soft and Clean
- No Greasy Residue
- Fresh Citrus Aroma
- Formula Reduces Use By Up To 75%

1	PART#	SIZ	E /	UNITS/C	S	1
		302				
	C10-13	/ 13 02	7	12		
	C10-85	85 OZ		4		
	C10-DS /	NVA		12	7	

BIODEGRADABLE FORMULA

E-ZOIL performance cleaners are formulated for tough cleaning jobs and are safe for the environment when used as directed.



Hardy Wipes

Hand, Tool & Surface Towels

- Removes All Dirt and GrimeStrong Two-Sided Towels
- Abrasive Side Cuts Through Soils
- Smooth Sides Wipes Surface Clean
- Leaves Hands Soft and Clean
- No Greasy ResidueFresh Citrus Aroma
- Contains Natural Ingredients

PARI#	SIZE	UNITS/CS
C20-25	/ 25CT	12 /
C20-70	70CT	6

BIODEGRADABLE FORMULA



WHICH DIESEL ADDITIVE IS RIGHT FOR YOU?

	Diese Aid	Diesel Aid + Cetane	Carbon Crusher	Bio-Blast	Artic Power	Artic Flo	D-Gel	Storzall	Diesel Fire	Diesel Fire Plus	Bio-Aid	Bio-Power
Water Emulsifier Encapsulates water and fuel to create a harmless, combustible mixture	х	х									X	
Water Demulsifier Drops water to the bottom of tank for water separator removal									X	X		
Detergent Cleans fuel system and improves fuel economy and power	x	X	х		x				X	X	x	x
system friction and premature failure of critical components	х	х	х		x	х			Х	х	х	x
Cetane Improver Improves power, cold starts, and reduces exhaust emissions		х	Х		x				Х	Х		
Anti-Gel Prevents fuel gelling that plugs fuel lines and filters					X	Х				X		
Anti-Icer Prevents fuel icing that plugs fuel lines and filters	х	х					X		X	X	x	
Corrosion Inhibitor Prevents corrosions of fuel system components	X	X							X	X	X	
Emergency Reliquifies gelled and iced fuel and fuel filters							X					
Biocide Kills microbial slime inside the fuel tank that plugs fuel filters				х								
Stabilizer Prolongs the life of fuel stored for long periods of time								X				
Alcohol-Free Additives that contain alcohol should be avoided except in emergencies	Х	х	Х	х	Х	Х		Х	Х	Х	Х	Х
Compliance All E-ZOIL additives comply with the federal ULSD requirements	х	X	Х	X	x	Х	X	X	X	X	x	X

