Maximum Performance and Protection for Vehicles and Equipment





FUEL ADDITIVES | CLEANERS



# Performance. Pour it on.

You have a big investment in your equipment — cars, trucks,
tractors, dozers, excavators, cranes, generators,
ships, rail, and more. You
need your equipment to
work when you work — and
look good, too.

That's why we offer a complete line of diesel fuel additives, biodiesel additives, and gas additives formulated to enhance fuel performance and provide critical protection against expensive breakdowns.

We also make performance-enhancing cleaning solutions to keep vehicles and equipment clean inside and out.

We've been making performance products for over 40 years. Our products provide maximum performance, protection, and return on investment for vehicle and equipment professionals worldwide.

To learn more, visit EZOIL.com

#### **ULSD FORMULA**



# Diesel Aid

All-Season Performance Additive

- Improves Fuel Economy
- Totally Disperses Water
- Improves Cold Flow
- Improves Lubricity
- Inhibits Corrosion

PART #	<i>t</i> /	SIZE	UNITS/C	s,	TREATS
D10-08		8 OZ	24		240 GL
D10-01		1 GL			3,840 GL
D10-05		GL GL			19,200 GL
D10-55	55	GL ,			11,200 GL
010-275	275			1,0	56,000 GL

#### **ULSD FORMULA**

E-ZOIL performance additives are formulated for today's Ultra Low Sulfur Diesel an Biodiesel Blends. They meet all emission standards and provide added protection for your valuable diesel-powered equipment.



# Diesel Aid + Cetane

All-Around Performance Additive

- Up to +7 Cetane
- Improves Fuel Economy
- Totally Disperses Water Improves Cold Flow
- Improves Lubricity Inhibits Corrosion

PART #	SIZE	UNITS/CS	TREATS
D25-16	16 OZ	12	240 GL
D25-01	1 GL		1,920 GL
D25-05	5 GL		9,600 GL
D25-55	55 GL		105,600 GL
D25-275	275 GL		528.000 GL

#### **ULSD FORMULA**



#### Diesel Fuel System Cleaner

- Cleans Fuel System
- Improves Fuel Economy
- Increases Cetane
- Removes Asphaltenes
- Reduces DPF Regeneration
- Stabilizes Fuel
- Increases Lubricity

PART #	SIZE	UNITS/C	s	TREATS
D70-08	8 OZ			100 GL
D70-16	16 OZ			200 GL
D70-01				1,600 GL
D70-05				8,000 GL
D70-55	55 GL /	1 /	8	8,000 GL

#### **ULSD FORMULA**

E-ZOIL performance additives are formulated for today's Ultra Low Sulfur Diesel and Biodiesel Blends. They meet all emission standards and provide added protection for your valuable diesel-powered equipment.



### **Bio-Blast Biocide Performance Additive**

- Kills Algae, Bacteria & Fungi
- Protects Fuel Lines & Filters from Plugging
- Protects Fuel & Water Phases from Microbial Slime

PART #	SIZE	UNITS/CS	TREATS
B70-16	16 OZ		/ 1,280 GL
B70-05			51,200 GL
B70-55			563,200 GL
			2,816,000 GL

#### **ULSD FORMULA**



# **Artic Power**

All-Around Cold Weather Performance Additive

- Improves Cold Flow
- Up to +4 Cetane
- Improves Fuel Economy
- Improves Lubricity
- Reduces Exhaust Emissions

PART #	SIZE	UNITS/C	s	TREATS
D15-16	16 OZ	24		200 GL
D15-01	1 GL			1,600 GL
D15-05	5 GL			8,000 GL
D15-55	55 GL			38,000 GL
				40.000 GL

#### **ULSD FORMULA**

E-ZOIL performance additives are formulated for today's Ultra Low Sulfur Diesel and Biodiesel Blends. They meet all emission standards and provide added protection for your valuable diesel-powered equipment.



Artic Flo
Cold Weather Performance
Additive

- Improves Cold Flow
- Prevents Gelling
- Improves Lubricity
- Protects Fuel System

24	250 GL
	2,200 GL
	10,000 GL
	110,000 GL
	550,000 GL

#### **ULSD FORMULA**



# D-Gel

#### Emergency Cold Weather Performance Additive

- Reliquifies Gelled Fuel
- Reliquifies Iced Fuel
- Deices Iced Fuel Filters
- Improves Cold Flow
- Helps Remove Water

PART #	# SIZE	UNITS/CS	TREATS	
F10-16	16 OZ	24	50 GL	
F10-01	1 GL		400 GL	
F10-05	5 GL		2,000 GL	
F10-55	55 GL		22,000 GL	
F10-275			110,000 GL	

#### **ULSD FORMULA**

E-ZOIL performance additives are formulated for today's Ultra Low Sulfur Diesel and Biodiesel Blends. They meet all emission standards and provide added protection for your valuable diesel-powered equipment.



#### **Storzall** Stabilizer Performance Additive

- Stabilizes Fuel
- Prevents Fuel Degradation
- Protects Fuel System
- Safe for Gas, Diesel and Biodiesel

PART #	# SIZE	UNITS/C	S TREATS
S80-16	16 OZ	12	200 GL
S80-01	1 GL	6	1,600 GL
S80-05	5 GL		8,000 GL
S80-55	55 GL		88,000 GL
S80-275	275 GL		440,000 GL

#### **ULSD FORMULA**



# **Diesel Fire**

Summer Performance Additive

- Improves Fuel Economy
- Up to +6 Cetane
- Increases Lubricity
- Cleans Fuel Systems
- Reduces Exhaust Emissions
- Separates Water

PART	#	SIZE		UNITS/	CS	TREATS	
D50-08		8 OZ		12		32 GL	
D50-16		16 OZ		24		64 GL	
D50-01		1 GL				512 GL	
D50-05		5 GL				2,560 GL	
D50-55		55 GL				8,160 GL	
D50-275						D,800 GL	

#### **ULSD FORMULA**

E-ZOIL performance additives are formulated for today's Ultra Low Sulfur Diesel and Biodiesel Blends. They meet all emission standards and provide added protection for your valuable diesel-powered equipment.



# Diesel Fire Plus

Winter Performance Additive

- Improves Fuel Economy, Cold Flow
- & Lubricity
- Up to +6 Cetane
- Separates Water
- Cleans Fuel Systems
- Reduces Exhaust Emissions

PART :	# /	SIZE	UNITS/	cs	TREATS
D60-08		8 OZ	12		32 GL
D60-16		16 OZ	24		64 GL
D60-01		1 GL			512 GL
D60-05		5 GL			2,560 GL
D60-55		55 GL		/ 28	3,160 GL
060-275 /		75 GL /	1 /		0,800 GL

#### **ULSD FORMULA**



# **Bio-Aid**

#### All-Season Biodiesel Performance Additive

- Improves Fuel Economy
- Totally Disperses Water
- Improves Cold Flow
- Improves Lubricity
- Inhibits Corrosion

PART #	SIZE	/ UNITS/C	s	TREATS
B10-16	16 OZ	24		240 GL
B10-01	1 GL			1,920 GL
B10-05	5 GL			9,600 GL
B10-55	55 GL			05,600 GL
310-275				28,000 GL

#### **ULSD FORMULA**

E-ZOIL performance additives are formulated for today's Ultra Low Sulfur Diesel and Biodiesel Blends. They meet all emission standards and provide added protection for our valuable diesel-powered equipment.



# **Bio-Power**

**Cold Weather Biodiesel Performance Additive** 

- Improves Cold Flow
- Prevents Gelling
- Improves Lubricity
- Improves Fuel Economy

PART #	# SIZE	SIZE UNIT		S	TREATS	
B15-16	16 OZ		24		200 GL	
B15-01	1 GL				1,600 GL	
B15-05	5 GL				8,000 GL	
B15-55	55 GL				88,000 GL	
315-275					40,000 GL	

#### **ULSD FORMULA**



## Hot Shot Heating Oil Treatment

- Totally Disperses Water
- Improves Combustion
- Cleans Fuel System
- Inhibits Corrosion
- Stabilizes Fuel
- Dissolves Sludge
- Waste Oil Heater Compatible

PART #	SIZE	UNITS/C	s	TREATS
H15-16	16 OZ	24		275 GL
H15-01	1 GL			2,200 GL
H15-05	5 GL			11,000 GL
H15-55	55 GL			21,000 GL
H15-275				05.000 GL



# Phaze-Out

Gas/Ethanol Performance Additive

- Prevents Gas/Ethanol Separation
- Improves Combustion
- Cleans Fuel System
- Prevents Corrosion
- Stabilizes Fuel
- Safe for use in E-10, E15 & E-85
- Safe for All 2 and 4 Cycle Engines

PART #		SIZE	SIZE /		UNITS/CS		
G10-08							
					1/		



# E-Z Kleen

#### Vehicle Wash

- Removes All Dirt and Grime
- Removes Diesel Smoke
- No Water Spotting
- Use Pressure Washer or Hand Brush
- Safe on All Surfaces
- Biodegradable

7	PART #	SIZE	UNITS/C	S MAKES
	K50-01	1 GL	4	Up to 60 GL
	K50-05	5 GL	/ 1	Up to 300 GL
	K50-55	55 GL	/ 1	Up to 3,300 GL
ŀ	<50-275	275 GL	1 /	Up to 16,500 GL



# **Equipment Cleaner**

HD Biodegradable Cleaner

- Dissolves Stubborn Grease, Dirt, & Soils from Vehicles, Engines, & Equipment
- Safe for Use on Painted & Metal Surfaces
- Keeps Equipment Looking New
- Biodegradable

Free rinsing

PART #	SIZE	/ UNITS/CS	MAKES
K70-01	1 GL	4	Up to 20 GL
K70-05	5 GL	1 ,	Up to 100 GL
K70-55	55 GL		Up to 1,100 GL
K70-275	275 GL		Up to 5,500 GL



# **E-Z Gone** Water-Based Degreaser

- Dissolves Grease, Grit & Grime
- Penetrates Quickly
- Fresh Lemon Aroma
- No Harmful Solvents
- Safe on All Metal Surfaces
- Use on Engines, Parts, Tools & Floors

PART #	SIZE	UNITS/C	S MAKES
DG20-32	32 OZ	12	Ready to Use
DG20-01	1 GL	4	Up to 20 GL
DG20-05	5 GL	1	Up to 100 GL
DG20-55	55 GL	1 /	Up to 1,100 GL



## **E-Z Off** Heavy Duty Degreaser

- Dissolves Grease & Grime
- Removes Diesel Smoke & Road Tar
- Rinses with Water
- Fresh Citrus Aroma
- Safe on All Metal Surfaces

	PART #		SIZE		/ UNITS/CS	;
	DG10-01 DG10-05 DG10-55		1 GL		4	
			5 / 5 GL /		1	7
			55 GL	/	1	
	DG10-275		275 GL		1	





# All-Purpose Purple Water-Based

Cleaner & Degreaser

- Removes Resistant Dirt. Grease & from Engines, Equipment, Floors, Vel & Walls
- Reduces Future Soil Build-up Safe for Use on Metal, Concrete & P Use Manually or in Parts & Pressure Washers
- Biodegradable

PART #	SIZE	UNITS/C	S MAKES
DG15-32	32 OZ	12	Ready to U
DG15-01	1 GL		Up to 32 G
DG15-05	5 GL		/ Up to 160 G
DG15-55		1 ,	Up to 1,760 G

# ACHIEVE HIGH SHINE ALL THE TIME WITH OUR TRIED & TRUSTED WASH TIPS!

- START WITH THE MINIMUM DILUTION RATIO & ADD PRODUCT UNTIL DESIRED EFFECT IS ACHIEVED
  - TO DECREASE SUN SPOTTING & RESIDUE, WASH & RINSE SMALL AREAS
- TO ELIMINATE STREAKING, WASH & RINSE SURFACES FROM THE BOTTOM TOWARD THE TOP
  - DO NOT ALLOW SURFACE TO DRY BEFORE RINSING
    - NEVER WASH IN THE DIRECT SUNLIGHT









- Dissolves & Removes Tar, Blacktop Sealer & Asphalt Deposits
- Cleans Accumulated & Fresh Spills, Spatters & Over-spray
- Non-foaming, Solvent-based Formula
- Ready-to-use

PART #	SIZE	UNITS/CS
K20-01		
K20-05		
K20-55		
K20-275		





# Glass Glitz The "Grippy" Glass Cleaner

Cleans Glass Thickens When Shaken Grips to Glass for Fast, Efficient Cleaning Provides Streak-free Shine Removes Films, Soils & Bugs Won't Evaporate on Hot Surfaces Ammonia-free

PART #	SIZE	UNITS/CS
V20-02	2 OZ	24
V20-32	32 OZ	
V20-01	1 GI	





# Cab Kleen All Purpose Plastic & Carpet Cleaner

- Removes Dirt & Stains Fast Cleaning Action
- For Carpet, Upholstery, & Dashboard

	PART #	SIZE	UNITS/CS
	V30-02	2 OZ	24
	V30-32	32 OZ	
	V30-01	1 GL	
1	V30-05		1
	V30-55	55 GL /	1







# Hardy Hands

- Removes All Dirt & Grime
- Contains Walnut Shell Scrubbers
- Leaves Hands Soft & Clean
- No Greasy Residue
- Fresh Citrus Aroma
- Formula Reduces Use by up to 75%
- Contains Natural Ingredients

PART #		SIZE		UNITS/CS		MAKES	
C10-03		3 OZ				30 Washes	
C10-13		13 OZ				100 Washes	
C10-01						,000 Washes	
C10-PP							
C10-85		85 OZ				50 Washes*	
	310-DS /				85 (	77 Dispenser	

\*average number of washes





## Hardy Wipes Hand, Tool & Surface Towels

- Removes All Dirt & Grime
- Strong Two-sided Towels
- Abrasive Side Cuts Through Soils
- Smooth Sides Wipes Surfaces Clean
- Leaves Hands Soft & Clean
- No Greasv Residue

Fresh Citrus Aroma

Contains Natural Ingredients

PART #	COUNT	SIZE	UNITS/CS
C20-25	25 CT /	5.5" X 10.5"	
C20-70	70 CT /		6



## Distributor Marketing Materials

To request marketing materials, contact your E-ZOIL sales representative today!

# M121 HANGING BANNERS











## COUNTER DISPLAYS



M114 HOT SHOT

M112 M DIESEL FIRE GEI

M111 GENERIC

M118 COUNTER

STOOL



# Which Additive Is Right For Me?

Not sure which additive is right for your equipment? Good news! You don't need to be an expert. That's why we're here!



D25 D70 B70 D15































fuel cr CC

apsulates water
eating a harmle
mbustible mixtu











Drops water to the











bottom of the tank for separator removal

<u>U</u> Reduces fuel system friction & premature

failure of critical components

Prevents fuel system component corrosion

Improves power &

Prevents fuel gelling that plugs fuel line & filters

**ANTI-IC** Prevents fuel icing that plugs fuel lines & filters

Protects bio-blended fuels above grade B10

Reliquifies gelled & iced fuel & fuel filters

Kills microbial slime inside the fuel tank that plugs fuel filters

Prolongs the life of fuel stored for long periods of time

cold starts & reduces exhaust emissions

Cleans fuel system & improvés fuel economy & power



Follow Us on Social Media!

🛾 in f 💆 🎯

234 FILLMORE AVENUE BUFFALO, NY 14150